	Application No.	Applicant(s)
Notice of Allowability	Application No.	Applicant(s)
	10/781,485	CHEN, CHUAN-CHU
	Examiner	Art Unit
	Angela M. Lie	2163
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 4/5/2006.		
2. X The allowed claim(s) is/are 21-31.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	<u> </u>	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Da 	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/		ment/Comment
Paper No./Mail Date 4.	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. 🗌 Other	
DON WONG (SUPERVISORY PATENT EXAMINER		

Application/Control Number: 10/781,485 Page 2

Art Unit: 2163

DETAILED ACTION

EXAMINER'S AMENDMENT

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with Dan McClure on June 19, 2006.
- 3. The application has been amended as follows:

Claims 14-20 have been canceled.

In claim 21, line 5, change "the" to --an--.

In claim 21, line 11, change "the" to --an-.

In claim 27, line 12, change "the" to --an--.

4. The Examiner's amendment has been made in order to overcome the prior art and place the application in a better grammatical form for allowance.

Allowable Subject Matter

- 5. Claims 21-31 are allowed.
- 6. The following is an examiner's statement of reasons for allowance:

As to claim 21, the prior art fails to teach an electronic device comprising: two loads wherein one of them has illumination function, a current transformer, having two

windings, and a low-pass filter and an impedance, wherein all those elements are connected in the manner as disclosed in claim 21.

As to claims 22-26, those claims are allowed by the virtue of their dependency on claim 21.

As to claim 27, the prior art fails to teach an electronic device comprising: the prior art fails to teach an electronic device comprising: two loads wherein one of them has illumination function, a current transformer, having two windings, and a low-pass filter and an impedance, wherein all those elements are connected in the manner as disclosed in claim 27.

As to claims 28-31, those claims are allowed by the virtue of their dependency on claim 27.

7. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The Prior Art

- 8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- US Patent 4047076 discloses an emergency lighting system comprising a current transformer, two loads having an illuminating function, transforming circuit,

Application/Control Number: 10/781,485

Art Unit: 2163

however this prior art lacks a low-pass filter connected between the second winding of the transformer and the second load.

Inquiry

Page 4

- 9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angela M. Lie whose telephone number is 571-272-8445. The examiner can normally be reached on M-F.
- 10. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on 571-272-1834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 11. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Angela M Lie

DON WONG SUPERVISORY PATENT EXAMINER